

## SI-2K Digital Cinema Camera System



### SI-2K Products

SI-2K Digital Cinema Camera .....	30
Software .....	31
Accessories for SI-2K - Viewing Options .....	32
Accessories for SI-2K Mini Camera Head .....	34
Accessories for SI-2K Camera Body .....	37
Accessories for SI-2K - Support, Cases, Power Supply .....	41

## SI-2K Digital Cinema Camera

Artikel No.	Description	Price in €
22000	<p><b>SI-2K Mini Camera Head</b></p> <p>Incl.</p> <ul style="list-style-type: none"> <li>- IMS Camera Mount</li> <li>- License for Cineform RAW Encoder, Iridas Speedgrade Embedded, Silicon DVR Software</li> <li>- 10 m GigaBit Ethernet cable (Lemo 12-pin to RJ45) #22710</li> <li>- 2 m power cable (Lemo 8-pin to XLR 4-pin) #22711;</li> </ul> <p>Note: One IMS Lens Mount and a recording PC is necessary, no battery included To read the End User Software License Agreement please follow this link <a href="http://www.pstechnik.de/downloads/SiliconImaging_EndUserLicenseAgreement.pdf">http://www.pstechnik.de/downloads/SiliconImaging_EndUserLicenseAgreement.pdf</a></p>	
19000	<p><b>SI-2K Recording Unit</b></p> <p>Incl.</p> <ul style="list-style-type: none"> <li>- Video &amp; audio I/O interface</li> <li>- Top handle</li> <li>- Cable clamp</li> <li>- Sub-D Audio to XLR adapter #23405</li> <li>- SATA hard disk carrier with 160 GB hard disk # 23945</li> <li>- Interface for 15 mm rods and quicklock plate</li> </ul> <p>Note: SI-2K Mini Camera Head #22000, IMS lens mount, 15 mm rods, viewing option, battery not included</p>	
22736	<p><b>SI-2K Digital Cinema Camera and Recording System</b></p> <p>Incl.</p> <ul style="list-style-type: none"> <li>- SI-2K MINI camera head #22000, incl. <ul style="list-style-type: none"> <li>&gt; IMS Camera Mount</li> <li>&gt; Software licensesLicense</li> <li>&gt; 10 m GigaBit Ethernet cable #22710</li> <li>&gt; 2 m power cable #22711;</li> </ul> </li> <li>- SI-2K Recording Unit #19000, Incl. <ul style="list-style-type: none"> <li>&gt; I/O interface</li> <li>&gt; Top handle</li> <li>&gt; Cable clamp</li> <li>&gt; Sub-D Audio to XLR adapter #23405</li> <li>&gt; 1 digital mag. with 160 GB hard disk #23945</li> </ul> </li> <li>-Support Interface <ul style="list-style-type: none"> <li>&gt; 1 spare digital mag #23158</li> <li>&gt; 1 connection cable, 5m #23059</li> </ul> </li> </ul> <p>(Add. needed: one lens mount, 15 mm rods, viewing option, battery)</p>	



SI-2K Digital Cinema Camera

## P+S Technik Interchangeable Mount System (IMS)

The SI-2K Camera Head is equipped with the P+S Technik Interchangeable Mount System, which allows you to easily switch between different mounted lenses. Minimum one IMS lens mount is required. For more information go to chapter Optical Products.




## Suitable Lenses

We offer several suitable lenses. Please look into the chapter Optical Products.

## Software

Artikel No.	Description	Price in €
24307	<b>Adobe Creative Suite CS3 Production Premium</b> incl. Premiere, After Effects, Photoshop and other Adobe tools (for PC)	
24308	<b>Adobe Premiere PRO CS3 (for PC)</b>	
24149	<b>Cineform Prospect 4K</b> Plug-in for realtime editing of CineForm RAW footage on Adobe Premiere (PC)	
24150	<b>CineForm Neo 2K/4K</b> Plug-in for realtime editing of Cineform RAW footage on MAC based editing tools	
24151	<b>Iridas Speedgrade OnSet 2007</b> Look Design for Cinematographers (SI Look files available for download at <a href="http://www.siliconimaging.com">www.siliconimaging.com</a> )	
24152	<b>Iridas Framecycler Professional 2007</b> for Desktop Frame Sequence Playback	
<b>SI-2K Edit Bundle</b>	<b>SI-2K Edit Bundle (Adobe) for PC</b> 24308 Adobe Premiere Professional CS3 (for PC) 24149 CineForm Prospect 4K Plug-in 24151 Iridas Speedgrade OnSet2007	
<b>SI-2K Premium Bundle</b>	<b>SI-2K Premium Bundle (Adobe) for PC</b> 24307 Adobe Creative Suite CS3 Production Premium (for PC) 24149 CineForm Prospect 4K Plug-in 24151 Iridas Speedgrade OnSet2007	
<b>SI-2K On Set Editing Bundle</b>	<b>SI-2K On Set Editing Bundle</b> 24149 CineForm Prospect 4K Plug-in 24151 Iridas Speedgrade OnSet 2007	

## Accessories for SI-2K System – Viewing Options

Artikel No.		Description	Price in €
23079		<p><b>Electronic Viewfinder</b> incl. 3-axis adjustable holder, eyepiece, eyepiece cup, cable (LEMO 4-pin, VGA)</p> <p>Note: Ergonomic handle with finder interface #23358 necessary for use with SI-2K Mini Head</p>	
23520		<p><b>Power adapter cable, unregulated</b> For use of electronic viewfinder only (#23079) with the Mini Rig Anton Bauer D-Tab to Lemo 4-pin female (12 V unregulated)</p>	
23321		<p><b>Optical Viewfinder with B4 Lens Mount</b> for IMS mounted cameras</p> <p>Note: for 2/3" IMS cameras like SI-2K</p>	





## Accessories for SI-2K System – Viewing Options

Artikel No.		Description	Price in €
24641		<b>8.4" LCD Touchscreen Monitor,</b> transreflective, daylight readable, connectivity for electronic viewfinder (#23079) incl. VGA cable #24659, USB cable #24658 and power cable # 24660  Note: For use with Mini Rig #24733 needed	
24733		<b>Power adapter cable, regulated</b> for use with touchscreen (#24641) or electronic viewfinder (#23079) with the Mini Rig, Anton Bauer D-Tap to Lemo 4-pin female (5 V regulated and 12 V unregulated)	
25145		<b>Accessory Power Cable,</b> 12 V unregulated, Lemo 4-pin male to open end	
24734		<b>Sunshade for SI-2K Touchscreen monitor</b>	
23063		<b>Flex arm, 1/4" screw both sides</b>	
24058		<b>Flex arm, 1/4" screw to rosette</b>	

## Accessories for SI-2K Mini Camera Head - Mini Rig




Artikel No.	Description	Price in €
<b>Mini Rig 16 /35</b>	<b>Mini Rig Package</b> incl. 22689 Mini Rig Support Bridge 22987 Adapter plate to 16 mm cine bridge plate for SI-2K Mini Rig 22984 Adapter plate to 35 mm cine bridge plate for SI-2K Mini Rig 22846 Mini Rig battery holder 23362 Y-Cable for SI-2K Mini to Power and Start/Stop switch 24733 Power adapter cable regulated for use of touchscreen or electronic viewfinder w/ Mini Rig 23520 Power adapter cable for use of electronic viewfinder only with Mini Rig 23358 Ergonomic Handle for SI-2K Mini 22940 Shoulder Pad for SI-2K Mini Rig 21422 Extension for hand grip, 1 piece, need 2 pieces for shoulder setup 16528 Side handgrip 21423 Side handgrip with START/STOP switch and cable to Fischer 3-pin 18769 Pair of rods for light weight support, 15 mm, aluminium	
22689	 <b>Mini Rig Support Bridge</b> Lightweight Support Bridge 15mm incl. pair of rods  (Interface 16 #22987 or Interface 35 #22984 necessary)	
22987	 <b>Adapter plate to 16 mm cine bridge plate for SI-2K Mini Rig</b>	
22984	 <b>Adapter plate to 35 mm cine bridge plate for SI-2K Mini Rig</b>	

## Accessories for SI-2K Mini Camera Head – Mini Rig

Artikel No.	Description	Price in €
22846	 <p><b>Mini Rig Battery Holder</b> incl. Anton Bauer battery mount, swing plate, power cable Lemo 8-pin male</p>	
23358	 <p><b>Ergonomic Handle for SI-2K Mini,</b> Interface for electronic viewfinder</p>	
22782	 <p><b>Easy Rig Handle for SI-2K Mini camera head</b></p>	
22940	 <p><b>Shoulder Pad for SI-2K Mini Rig</b></p>	

For support rods and bridge plate go to the chapter Camera Support Accessories

## Accessories for SI-2K Mini Camera Head – Cables

Artikel No.		Description	Price in €
23301		<b>SI-2K Mini Gigabit Ethernet cable, 2 m</b> Lemo 12-pin to RJ-45, Ethernet only	
23057		<b>SI-2K Mini Gigabit Ethernet Cable, 5 m</b> Lemo 12-pin to RJ-45, Ethernet Only	
22710		<b>SI-2K Mini Gigabit Ethernet Cable, 10 m</b> Lemo 12-pin to RJ-45, Ethernet Only	
23058		<b>SI-2K Mini Gigabit Ethernet Cable, 25m</b> Lemo 12-pin to RJ-45, Ethernet Only	
22711		<b>Power cable for SI-2K Mini, 2 m,</b> Lemo 8-pin male to XLR 4-pin male	
23362		<b>Power / Trigger Y-cable for SI-2K Mini</b> Lemo 8-pin male to Lemo 8-pin female and Fischer 3-pin female Note: RS switch required	
23296		<b>Power / Trigger Y-cable for SI-2K Mini, 2 m</b> Lemo 8-pin male to XLR 4-pin male and Fischer 3-pin female Note: RS switch required	

## Accessories for SI-2K Camera Body

Artikel No.	Description	Price in €
23049	Shoulder Pad for SI-2K camera body	
23012	Adapter plate to 16mm cine bridge plate for SI-2K Recording Unit	
21842	Adapter plate to 35mm cine bridge plate for SI-2K Recording Unit	
23020	Cable clamp for SI-2K Recording Unit	

For support rods and bridge plate go to the chapter Camera Support Accessories

## Accessories for SI-2K Camera Body - Digital Magazines

Artikel No.	Description	Price in €
<b>Empty Magazines</b>		
23158	 <p><b>Digital Standard Magazine</b> for SI-2K Recording Unit -for one 2,5" SATA HDD or SSD (no disc included)</p>	
23922	 <p><b>Digital RAID Magazine</b> for SI-2K Recording Unit -for 2x 2,5" SATA HDD or SSD (no hard discs included) - for RAID0 and RAID1 configurations - enables uncompressed recording on SI-2K Recording Unit</p>	
<b>Digital Standard Magazines</b>		
23945	 <p><b>Digital Standard Magazine 160 HDD</b> for SI-2K Recording Unit -one 160 GB 2,5" harddisk included</p>	
23948	 <p><b>Digital Standard Magazine 32 SSD Extreme</b> for SI-2K Recording Unit -one 32 GB SSD (solid state Disk) included -shock-proof recording device -for uncompressed (~6 min) and compressed (~24 min) recording</p>	
<b>Digital RAID Magazines</b>		
25859	 <p><b>Digital RAID Magazine 320 HDD</b> for SI-2K Recording Unit -two 160 GB 2.5" harddisks included -for RAID 0 and RAID 1 configurations -for uncompressed (~60 min) and compressed (~4h) recording</p>	

## Accessories for SI-2K Camera Body - Digital Magazines

Artikel No.	Description	Price in €
<b>Accessories</b>		
23946	<b>Digital Magazine Reader for PC</b> - fits into 2,5" & 3,5" Drive Slot in a work station or server - SATA connected	





## Accessories for SI-2K Camera Body - Timecode

Artikel No.	Description	Price in €
25897	<b>Ambient ALL 601 Lanc Logger</b> USB TimeCode Interface for SI-2K Recording Unit or other recording devices (laptop/PC)	
25960	<b>TC-in/out cable</b> -for synchronising ALL601 to any other Ambient Clockit TC-System -bidirectional -Lemo 5-pin to Lemo 5-pin	
25961	<b>LTC-IN cable</b> -Betacam TC-OUT to ALL601/Lockit IN -unidirectional -BNC to 5-pin Lemo	
25962	<b>LTC-OUT cable</b> - Betacam TC-OUT to ALL601/Lockit OUT, - unidirectional, - BNC to 5-pin Lemo	




## Accessories for SI-2K Camera Body - Timcode

Artikel No.	Description	Price in €
<b>Accessories</b>		
25963	<b>TC-IN cable</b> -Slate/ALL601 TC-IN cable -unidirectional -5-pin Lemo to XLR-3-pin female	
25964	<b>TC-OUT cable</b> -Slate/ALL601 TC-OUT cable -unidirectional -5-pin Lemo to XLR-3-pin male	



## Accessories for SI-2K Camera Body – Cables

Artikel No.		Description	Price in €
23059		<b>SI-2K to SI-2K Mini Connection Cable, 5 m,</b> Lemo 12-pin to 12-pin, Ethernet and Power	
23060		<b>SI-2K to SI-2K Mini Connection Cable, 10 m,</b> Lemo 12-pin to 12-pin, Ethernet and Power	
23136		<b>SI-2K to SI-2K Mini Connection Cable, 25 m</b> Lemo 12-pin to 12-pin ethernet and power	
23405		<b>Sub-D Audio to XLR 3-pin Adapter,</b> 1x stereo IN and 1x stereo OUT	




## Accessories for SI-2K – Handgrip & Rod Support

Artikel No.	Description	Price in €
21422	 <p>Extension for hand grip, 1 piece</p>	
16528	 <p>Side handgrip</p>	
21423	 <p>Hand grip with START/STOP switch and cable</p>	

## Accessories for SI-2K – Power Supply

Artikel No.	Description	Price in €
21883	 <p>Power supply cable, XLR 4-pin male to XLR 4-pin female, 3 m</p>	
21431	 <p>Special adapter Anton Bauer to Sony V-Mount</p>	
21474	<p>Special adapter Anton Bauer Gold-Mount to NP battery box</p>	

## Accessories for SI-2K – Cases

Artikel No.	Description	Price in €
23972	<b>Small Soft bag for SI-2K Camera System</b> for hand luggage transportation on airplane	
		
24458	<b>Large Soft bag for SI-2K Camera System</b> for hand luggage transportation on airplane	
		
23973	<b>Large case for SI-2K Camera System</b> and Accessories Aluminium (570x300x300mm)	
		
23974	<b>Case for SI-2K Mini</b> camera head, Mini Rig and Laptop for hand luggage transportation on airplane Aluminium (510x400x200mm)	
